JOURNAL OF PATHOLOGY, VOLUME 110

INDEX OF SUBJECTS

PAGE

ABNORMALITIES, CONGENITAL, 3 cases of congenital adenomatoid malformation of lung, one of rare solid type, one intermediate with few small cysts, one of common cystic type . . . 131
ADIPOSE TISSUE, brown, in hypothermia . 105
AGE, increasing, associated with increasing prevalence of obliteration of major ducts of breast 13
increasing, fall in number of renal glomeruli and nephrons, increase in area of glomerular basement-membrane, fall in percentage volume of cellular component of glomeruli, no increase in glomerular interstitial tissue with . 113
ALCOHOLICS, chronic, alcoholic hyalin in liver biopsies from probably protein developed at site of synthesis as result of unknown metabolic defect . . 245
ALPHA-FOETOPROTEIN present in 53 of 72 cases of liver-cell carcinoma, in none of 7 cases of bile-duct carcinoma . 37
ANTIBODY against species-specific muscle antigens release ^{51}Cr and a muscle-specific enzyme from monolayer cultures of ^{51}Cr-labelled muscle cells in presence of complement; antibody against cytoplasmic muscle-specific antigens ineffective 67
ANTIGENIC DIFFERENCES between normal lymphocytes and chronic lymphatic leukaemic cells, effect on uptake of ^{5}H-thymidine by mixed cultures . 59
ANTI-LYMPHOCYTIC SERA react with lymphocytes to a degree varying with the technique and also with neutrophils, which probably share an antigen with lymphocytes 221
AORTA, spontaneous lesions of in wild Malaysian long-tailed monkeys: sudanophilic fatty streaks in 90 per cent.; fibrous plaques rare, complicated plaques not found . . . 135
ARGYRIA, turnover of glomerular basement-membrane in argyric rats about one year 233
ARGYROPHIL CELLS, effect of 5-hydroxytryptophan on differentiation to argentaffin cells in intestine of guinea-pig pre-treated with iproniazid . . 75
ARTEFACT, "rick-rack" or "scallop" appearance of aorta of wild Malaysian long-tailed monkeys probably . . 135

PAGE

ARTERIES, femoral and carotid, of Malaysian long-tailed monkeys, morphology of 2-yr-old platelet-rich experimental thrombi in 145
pulmonary, medial thickening in pulmonary hypertension . . . 273
pulmonary, in primary pulmonary hypertension and in thrombo-embolic hypertension, no reduction in primary branches from axis, but considerable loss of smaller arteries . . . 273
pulmonary, sole vascular supply of hamartomas in 3 cases of congenital adenomatoid malformation of lung . 131
ARTERIOGRAM most effective way of distinguishing between primary and thrombo-embolic hypertension . . 273
ARTERIOLES, pulmonary, of rat, increased permeability in pulmonary oedema due to alpha-naphthylthiourea . . 343
ASTHMA, hyperplasia of bronchial muscle in, rather than hypertrophy . . 319
ATHEROSCLEROSIS of carotid sinus, more severe than in common or internal carotid arteries 49

BACTERIAL SPECIES, *Escherichia coli* endotoxin, effect on various animal indicators 295
Pasteurella tularensis, recovery of from aerosol-infected lungs of rhesus monkeys up to and including 21 days after exposure 193
Shigella flexneri lipopolysaccharide, effect on various animal indicators . 295
BARORECEPTOR RESPONSE of carotid sinus diminishes with age, possibly because of local atheroma 49
BASEMENT-MEMBRANE, glomerular, origin, turnover and removal of . . 233
BETA-PROTEINS, nature and development in connective tissue 1
BONE-MARROW embolus in systemic veins, in cases of pulmonary embolus, with or without open cardiac massage . . 271
BREAST, hyperelastosis, obliteration and fibrous plaques in major ducts of . 13
necrotic intraduct carcinoma simulating inflammatory lesions . . . 101
BRONCHITIS, chronic, some hyperplasia of bronchial muscle, less than in asthma 319

PAGE

CALCIFIABLE MATRIX, nature and production in connective tissue . . . 1
CANAL, central, of spinal cord, duplication or multiplicity in region caudal to plaque in neurospinal dysraphism; slit canal lesions in plaque region . 83
CANALISATION mechanism in deep vein thrombosis 153
CARCINOMATOSIS common cause of death in bile-duct carcinoma . . . 37
CAROTID SINUS, atherosclerotic . . 49
CELLS, endothelial, swelling in later stages of ovine polio-encephalomalacia . 123
mononuclear inflammatory, infiltration by in older lesions of ovine polio-encephalomalacia 123
CHICK EMBRYO unaffected by filtered intestinal obstruction fluid 295
CHLOROFORM, modification of hepatotoxic effect of in calves by pre-treatment with phenobarbitone sodium; rise in amidopyrine - N - demethylase after phenobarbitone treatment rapidly reversed by chloroform or halothane . 333
CHOLESTEROL, mean plasma level in Malaysian long-tailed monkeys 134 mg per 100 ml, range 70–210 mg per 100 ml . 135
COLLAGENS, nature and development in connective tissue 1
COMPONENTS of glomerular basement-membrane in rat, probably two, one epithelial and another endothelial in origin 233
CONNECTIVE TISSUE, nature and production of proteins in intercellular matrices of. 1
CORTEX, renal, little change in mean percentage volume of interstitial tissue with advancing age 113
COW, glycogenosis in some liver cell nuclei probably normal 267
CULTURES, mixed cell, of normal and leukaemic cells 59
CUSHIONS, intimal, in foetal placental veins, differences between major and minor cushions 347

DILATATION lesions in pulmonary arteries absent in early cases of primary pulmonary hypertension, slight in early cases of thrombo-embolic pulmonary hypertension; numerous and equally common in late cases of both . . 273
DIPLOMYELIA, partial or complete in plaque region and in areas cranial and caudal to it in neurospinal dysraphism . . 83
DYSRAPHISM, neurospinal, local cord lesions in 83

ELASTIC TISSUE, nature and development in connective tissue 1
ELECTRON-MICROSCOPE STUDY of alcoholic hyalin 245
of Brenner tumour of ovary . . 167
of macrophage receptors for heterologous IgG 213
of muscle in infantile hypotonia . . 263
of natural history of experimental mural thrombi in hypercholesterolaemic monkeys 203
of nature and production of proteins in intercellular matrix of connective tissue 1
of necrotic renal allografts in man . 177
of ovine polio-encephalomalacia . . 123
of 2-yr-old platelet-rich thrombi in femoral and carotid arteries of Malaysian long-tailed monkeys 145
EMBOLI, bone-marrow, in systemic veins in cases of pulmonary embolism with or without open cardiac massage . . 271
EMPHYSEMA, right ventricular hypertrophy in 27
ENDOTOXIN, bacterial, comparison of effects on dogs with those of intestinal obstruction fluids 295
ENZYMES, phosphatases, sequential study of activity in beta-irradiated guinea-pig skin 251
EPULIS, pigmented, of infancy, melanin-producing medulloblastoma probably originating from pineal area not related to 109

FAT, brown, lipid content reduced in hypothermia 105
FIBRINOLYSIS, importance in canalisation of deep vein thrombi 153
FIBROBLASTS, dermal, respond to β-irradiation by transitory increase in alkaline and more prolonged increase in acid phosphatase; later (10–17 days) stain intensely for both in inflammatory and ulcerating areas; during repair those adjacent to regenerating epidermis show positive reaction for alkaline and moderate increase in acid phosphatase 251
FILUM TERMINALE, absence in some cases of neurospinal dysraphism . . 83
FOAM-CELL aggregates develop on surface of some experimental mural thrombi in hypercholesterolaemic monkeys . 203
FOETUS, cells of unknown nature in foetal tissues react with anti-lymphocytic sera 221
major and minor intimal cushions in foetal placental veins . . . 347
FRAGMENTATION, organic, of deep vein thrombi, leading to canalisation. . 153

PAGE

GLOMERULI, renal, full complement (2×10^6) at birth, after 36 yr falling to $1{\cdot}4\times10^6$ at 73 yr; basement-membrane surface area 0·2 m^2 at birth, 1·6 m^2 in adult life; volume proportion of cellular component greatest in neonate 113
GLOMERULITIS, exudative, in 6 out of 10 monkeys examined up to 9th day after exposure to aerosols of *Pasteurella tularensis* 193
GLYCOGEN not always demonstrable in liver-cell carcinoma, may be present in metastases of liver-cell carcinoma; liver metastases of renal tumours may contain it 37
GLYCOGENOSIS in some hepatic cell nuclei probably normal in cow . . . 267
GUINEA-PIG intestine, differentiation of argyrophil cells of to argentaffin cells in animals treated with iproniazid and then with 5-hydroxytryptophan . 75
skin, beta-irradiated, no significant change in phosphatase activity before necrosis; by 10–14 days increase in acid and alkaline phosphatase in epidermis undergoing necrosis, and in degenerating hair follicles, but not in degenerating sebaceous glands . 251

HALOTHANE, modification of hepatotoxic effect in calves by pre-treatment with phenobarbitone sodium; rise in amidopyrine-N-demethylase after phenobarbitone treatment rapidly reversed by chloroform or halothane . 333
HAMARTOMAS, adenomatoid malformation of lung, 3 cases, one of rare solid type, one intermediate with few small cysts, one of common cystic type . . 131
HEART, dog, subendocardial haemorrhages in left ventricle after intravenous injection of bacterial endotoxins . 295
right ventricular hypertrophy in emphysema 27
HORMONE effects on components of the intercellular matrix of connective tissue 1
HYALIN, alcoholic, subcellular features . 245
HYDROMYELIA cranial to plaque region in cord in neurospinal dysraphism . 83
5-HYDROXYTRYPTOPHAN effect on differentiation of argyrophil to argentaffin cells in intestine of guinea-pig pretreated with iproniazid; no effect *in vitro* or by local injection . . 75
HYPERELASTOSIS of major ducts in breast closely associated with obliteration and fibrous plaques, no association with macroscopic carcinoma . . 13

PAGE

HYPERPLASIA, follicular, in lymph-glands in early syphilis main feature of lymphadenopathy 305
HYPERTENSION, primary and thromboembolic pulmonary, quantitative study 273
HYPERTROPHY of medial muscle in primary pulmonary hypertension, not hyperplasia 273
right ventricular, in emphysema; left ventricular hypertrophy in some cases unexplained 27
HYPOTHERMIA, lipid content of brown fat reduced in 105
HYPOTONIA, infantile, excess glycogen, lack of myofibrils and absence of nerve-endings features of muscle. . . . 263

IMMUNITY, cell-mediated, possible impairment in early syphilis may be cause of lymphocyte depletion in lymph-nodes 305
IMMUNOFLUORESCENCE TECHNIQUE(S), demonstration of tularaemia antigen in aerosol-infected lungs of rhesus monkeys from 24 hr to 21 days after exposure by 193
for identification of cells reacting with anti-lymphocytic sera 221
INFLAMMATION, necrotic intraduct carcinoma of breast resembling inflammatory lesions 101
INTESTINE, congestion, haemorrhage and epithelial necrosis in dogs after intravenous injection of bacterial endotoxins 295
INTIMA, small pulmonary arterial, thickening cellular in early cases of thromboembolic hypertension, fibrous and patchy in later cases . . . 273
IPRONIAZID treatment of guinea-pigs followed by 5-hydroxytryptophan leads to differentiation of argyrophil intestinal cells to argentaffin cells; no effect on argentaffinia of liver cells . 75

JAMAICA, incidence of focal thyroiditis lower than in England (except in thyrotoxic cases, where incidence same), higher than in Africa . . 309

KIDNEY allografts, necrotic, in man, histology and ultrastructure . . . 177
quantitative anatomy 113

LEUKAEMIC CELLS, activity in mixed cell cultures with normal lymphocytes . 59
LIPID depletion in brown fat in hypothermia reversible 105

PAGE

LIVER, calf, changes due to chloroform or halothane, with or without pre-treatment with phenobarbitone . . 333
cell nuclei, glycogenosis in some as β-particles or glycogen bodies probably normal in cow 267
cells, iproniazid treatment of guinea-pig followed by 5-hydroxytryptophan has no effect on argentaffinia of . . 75
dog, oedema of portal connective tissue, polymorphs in perivascular tissues and sinusoidal walls, and oedema of gall-bladder wall after intravenous injection of bacterial endotoxins . . . 295
liver-cell carcinoma tumour of younger males, associated often with cirrhosis; 4 main types; bile-duct carcinoma tumour of older persons of either sex, with no association with cirrhosis . 37
LUNG(S), congenital adenomatoid malformation of, varieties . . . 131
differences between changes in early and late primary pulmonary hypertension and between both and thrombo-embolic hypertension . . . 273
more extensive alveolar than bronchiolar emphysema needed to produce right ventricular hypertrophy . . . 27
rat, increased permeability of pulmonary arterioles in pulmonary oedema due to alpha-naphthylthiourea . . . 343
of rhesus monkeys exposed to aerosols of *Pasteurella tularensis*, purulent bronchiolitis at 3 days, developing into confluent bronchopneumonia; organisation by vascularisation, epithelialisation and fibrosis of exudates with apparent complete resolution . . 193
LYMPHADENOMA, sebaceous, of parotid gland 259
LYMPH-GLANDS, changes in early syphilis . 305
dog, cytolytic changes in after intravenous injection of bacterial endotoxins . 295
LYMPHOCYTE(S) depletion with histiocytic infiltration, sometimes with giant cells in paracortical zones of lymph-glands in early syphilis, possibly due to continued presence of spirochaetes 305
normal, activity in mixed cell cultures with leukaemic cells . . . 59
react with anti-lymphocytic sera to degree dependent on technique used . 221

MACROPHAGE receptors for heterologous IgG, detection by scanning and transmission electron microscopy . . 213
MALLORY BODIES, subcellular structure of . 245
MATRIX, intercellular, of connective tissue extruded from cytoplasmic processes of cells; if processes long and straight, orientated collagen produced; if short and stumpy, non-collagenous protein 1
MEDULLOBLASTOMA, possibly arising in pineal region, with cerebrospinal fluid dissemination and melanin production in pineal tumour 109
MENINGOCELE, local cord lesions in . . 83
METABOLITES, toxic, of chloroform and halothane probable cause of liver lesions, as these are increased by pre-treatment of animal with drug-metabolising-enzyme-inducing phenobarbitone 333
METASTASES in liver-cell carcinoma in about half the cases, widespread in bile-duct carcinoma 37
in olfactory bulbs from melanin-producing medulloblastoma probably originating in pineal area . . . 109
MONKEY(S), Malaysian long-tailed (*Macaca irus*), hypercholesterolaemic, development and fate of experimental mural thrombi in 203
Malaysian long-tailed (*Macaca irus*), morphology of 2-yr-old platelet-rich thrombi in 145
Malaysian long-tailed (*Macaca irus*), wild, aortic lesions in . . . 135
rhesus (*Macaca mulatta*), pathogenesis of aerosol-induced tularaemic pneumonia in 193
MUSCLE antigens, species-specific, important in cytotoxicity of anti-muscle antibody; no effective cross-reaction between allogeneic and xenogeneic muscle antigens to produce allergic myositis 67
bronchial, hyperplasia in asthma . . 319
changes in infantile hypotonia . . 263
medial of pulmonary arteries, extension into arterial tree in primary pulmonary hypertension not confirmed . . 273
smooth-muscle cells predominant cellular constituents of intimal plaques produced in Malaysian long-tailed monkeys 2 yr after intraluminal insertion of catgut suture into carotid and femoral arteries . . . 145
smooth-muscle cells predominant cellular constituent in experimental mural thrombi in hypercholesterolaemic monkeys, with monocytes and undifferentiated cells 203

NEPHRONS, full complement (2×10^6) at birth 113
NEURONES, cerebrocortical, changes in ovine polio-encephalomalacia secondary to oedema of astrocytes and satellite cells 123

PAGE

NEUTROPHILS react with anti-lymphocytic sera, and therefore probably have an antigen in common with lymphocytes . 221

OBLITERATION of major ducts of breast associated with hyperelastosis and fibrous plaques 13
OBSTRUCTION, intestinal, experimental in dogs, intestinal and peritoneal fluids from cases of injected intravenously into dogs have effects similar to, but on whole less severe than, those of bacterial endotoxins . . . 295
OEDEMA of intracellular component of astrocytes and satellite cells of cerebral cortex earliest lesion in ovine polio-encephalomalacia 123
pulmonary, induced in rats by alpha-naphthylthiourea, changes in lung arterioles in 343
OVARY, origin of Brenner tumour by uro-epithelial metaplasia of surface epithelium or from structures of urogenital ridge origin in ovarian hilum . . 167

PARITY, increasing, associated with increasing prevalence of hyperelastosis of major ducts of breast . . . 13
PAROTID GLAND, sebaceous lymphadenoma 259
PHYSICAL FORCES, applied, influence on matrix production in connective tissue 1
PLACENTA, intimal cushions in foetal placental veins in many abnormal placentae, rare in placentae from normal pregnancies. 347
PLAQUES, FIBROUS, of major ducts of breast associated with hyperelastosis and obliteration 13
fibrous, rare in aorta of Malaysian long-tailed monkeys; complicated plaques not seen. 135
hard fibromuscular, as end-product of experimental mural thrombi in hypercholesterolaemic monkeys; no resemblance to the soft atheromatous plaque 203
intimal, produced in Malaysian long-tailed monkeys by intraluminal introduction of a catgut suture, little change after 10 wk; at 2 yr relatively avascular, lipid-free, fibromuscular intimal thickenings, no evidence recurrent haemorrhage or calcification; smooth-muscle cells predominate . 145
PLATELET-rich thrombi, 2 yr old, morphology in femoral arteries of normocholesterolaemic monkeys . . 145
PLEURISY in lungs of all rhesus monkeys exposed to aerosols of *Pasteurella tularensis* 6 days after exposure and thereafter 193
PNEUMONIA, tularaemic, pathogenesis of aerosol-induced disease in monkeys . 193
" POCKET " formation in canalising deep vein thrombi 153
POLIO-ENCEPHALOMALACIA in sheep due to aberration of thiamine metabolism, earliest changes oedema of intracellular component of astrocytes and satellite cells; neuronal changes secondary 123
PRESSURE, increased umbilical venous, may lead to vascular damage, and so to large intimal cushions in the foetal placental veins, and so to emboli and disseminated capillary thrombi in foetal organs 347
PROCEEDINGS OF THE SOCIETY . . Pi–Px
PROTEINS in intercellular matrices of connective tissues, nature and production 1
serum, escape from vessels in later stages of ovine polio-encephalomalacia 123

RABBIT intradermal test for endotoxin in intestinal obstruction fluid suggests small amount endotoxin present; does not necessarily agree with rabbit lethal test 295
RADIOCHROMIUM (^{51}Cr), release of from ^{51}Cr-labelled cells good evidence of cytotoxicity (e.g., that due to specific antibody and complement) . . 67
RAT basement-membrane, turnover time of 233
lung, increased permeability of lung arterioles in pulmonary oedema due to alpha-naphthylthiourea . . 343
RECEPTOR SITES on macrophages for heterologous IgG, patchy distribution, smallest aggregates 50–60 nm in length, concentrated on peripheral lamellipodia, few in paranuclear region; minimal on epithelioid and giant cells 213
REGENERATION in epidermis after beta-irradiation, some increase in acid phosphatase, not in alkaline; 5′-nucleotidase absent after regeneration 251
REJECTION of renal allografts in man, 3 cases: 2 early total necrosis probably from hyperacute rejection after 2nd transplant; 1 later subtotal necrosis with advanced vascular rejection lesions 177
RESERPINE-treated guinea-pigs, no effect of 5-hydroxytryphophan on maturation of argyrophils to argentaffin cells in intestine of, *in vivo*, or by local injection or *in vitro* 75

PAGE

REVIEWS OF BOOKS—
Biology of amphibian tumors (ed. by Merle Mizell) 191
Mini-computers in the clinical laboratory (ed. by Edwin M. Knights, Jr) . . 191
Neoplastic development, vol. 1 (Leslie Foulds) 192
RUPTURE of liver with intraperitoneal haemorrhage common cause of death in liver-cell carcinoma 37

SCANNING ELECTRON MICROSCOPY for detection of macrophage receptors for heterologous IgG 213
SCLERODERMA, thymus in 97
SHEEP, macrophages, receptors for heterologous IgG on 213
polio-encephalomalacia due to aberration of thiamine metabolism, pathological changes in 123
SODIUM DEOXYCHOLATE does not detoxify filtered intestinal obstruction fluid, though it does detoxify bacterial endotoxins 295
SPINAL CORD lesions cranial and caudal to plaque region in neurospinal dysraphism; open neural plates and slit canal lesions in plaque region . . 83
SPIROCHAETES, *Treponema pallidum*, constant presence in lymph-glands in early syphilis possible cause of histiocytic infiltration of paracortical zones in lymph-glands 305
STENOSIS of carotid sinus in atherosclerosis related to age 49
SYRINGOMYELIA cranial to plaque region in cord in neurospinal dysraphism . 83
SYSTEMIC SCLEROSIS, thymus in . . 97

TECHNIQUES, PATHOLOGICAL, colloidal carbon and barium-gelatin mixtures for study of abnormal vascular permeability in rat lungs 343
injection technique for arteries in pulmonary hypertension 273
THIAMINE metabolism, aberration of in ovine polio-encephalomalacia . . 123
THROMBI, experimental mural, in hypercholesterolaemic monkeys . . 203
fibrinoid microthrombi in cortical arteries, arterioles and some glomerular capillaries in renal allograft showing diffuse non-reactive partial necrosis, probably result of total ischaemia with short period of reflow . . . 177
2-yr-old platetet-rich, morphology in normocholeslerolaemic monkeys unlike that of human soft atherosclerotic plaque 145

PAGE

THROMBO-EMBOLISM of large pulmonary arteries absent in primary pulmonary hypertension, common in thromboembolic pulmonary hypertension; infrequent in small vessels in both . 273
THROMBOSIS, deep vein, canalisation by formation of peripheral pockets with endothelialisation, organic fragmentation and fibrinolysis, with fibrocellular invasion and contraction . . . 153
^{3}H-THYMIDINE uptake increased in cultures of acute leukaemic and chronic lymphatic leukaemic cells, not in chronic myeloid leukaemic cells, with normal lymphocytes 59
THYMUS in systemic sclerosis (scleroderma), relative atrophy of cortex, minor lesions in medulla . . . 97
THYROIDITIS, focal, in Jamaican adults, incidence higher than in Africa, lower than in England; possible effect of environmental factors; no association with diabetes or with increasing age . 309
THYROTOXICOSIS, focal thyroiditis in glands from as common in Jamaica as in England, though less in glands without thyrotoxicosis 309
TULARAEMIA, pathogenesis of aerosol-induced tularaemic pneumonia in monkeys 193
TUMOURS, HUMAN, Brenner tumour of ovary, comparison of cell ultrastructure suggests relationship to uroepithelial cells 167
carcinoma of breast, macroscopic, no association with hyperelastosis, obliteration or fibrous plaques of major ducts 13
carcinoma of liver in Ugandan Africans 37
medulloblastoma, possibly originating in pineal region, with extensive dissemination through cerebrospinal fluid pathway, with melanin production in pineal area 109
necrotic intraduct carcinoma of breast simulating inflammatory lesions . 101
sebaceous lymphadenoma of parotid gland 259
TURNOVER time of glomerular basement-membrane in argyric rat about one year 233

UGANDA, primary carcinoma of liver in Ugandan Africans 37

VEINS, deep, canalisation of thrombi in common, usually with terminal formation of flat fibrous intimal thickenings, sometimes with fibrous bands or strings 153

PAGE

VEINS, foetal placental, major and minor intimal cushions in 347
systemic, bone-marrow emboli in epicardial and hepatic veins . . . 271
umbilical, increased pressure in probably leads to development of major intimal cushions in foetal placental veins . 347

PAGE

WARTHIN'S TUMOUR, sebaceous lymphadenoma of parotid gland resembling 259

X-RAY DIFFRACTION STUDY of nature and production of proteins in intercellular matrix of connective tissue . . 1

INDEX OF AUTHORS

PAGE

ANDERSON, E. G., SIMON, G., and REID, LYNNE, primary and thrombo-embolic pulmonary hypertension: a quantitative pathological study . . . 273
ANTHONY, P. P., primary carcinoma of the liver; a study of 282 cases in Ugandan Africans 37

BALFOUR, I. C., PEGRUM, G. D., EVANS, CAROL A., and MIDDLETON, VALERIE L., mixed cell cultures of normal and leukaemic cells 59
BECK, J. S., CARTER, JULIE, EWEN, S. W. B., and GRAY, ELIZABETH, the thymus in systemic sclerosis 97
BEST, P. V., a medulloblastoma-like tumour with melanin formation . 109
BÖHM, G. M., changes in lung arterioles in pulmonary oedema induced in rats by alpha-naphthylthiourea . . . 343

CARTER, JULIE, EWEN, S. W. B., GRAY, ELIZABETH, and BECK, J. S., the thymus in systemic sclerosis . . 97
CHANG, LAN F., and TABACHNICK, J., a sequential study of phosphatase activity in beta-irradiated guinea-pig skin and its correlation with the histological changes 251
CODLING, B. W., JONES, E. L., and OATES, G. D., necrotic intraduct breast carcinomas simulating inflammatory lesions 101
CUMMINS, PATRICIA A., FOX, H., and LANGLEY, F. A., an ultrastructural study of the nature an origin of the Brenner tumour of the ovary . . 167

DAVIES, J. D., hyperelastosis, obliteration and fibrous plaques in major ducts of the human breast 13
DAWKINS, R. L., and LOEWI, G., cytotoxic effect of antisera on ^{51}Cr-labelled monolayers of skeletal muscle . . 67
DESA, D. J., intimal cushions in foetal placental veins 347
VAN DIJK, C., and WAGENVOORT, C. A., the various types of congenital adenomatoid malformation of the lung . . 131
DUNNILL, M. S., and HALLEY, W., some observations on the quantitative anatomy of the kidney . . . 113

PAGE

EMERY, J. L., and LENDON, R. G., the local cord lesion in neurospinal dysraphism (meningomyelocele) . 83
EVANS, CAROL A., PEGRUM, G. D., BALFOUR, I. C., and MIDDLETON, VALERIE L., mixed cell cultures of normal and leukaemic cells 59
EWEN, S. W. B., CARTER, JULIE, GRAY, ELIZABETH, and BECK, J. S., the thymus in systemic sclerosis . . 97

FLEMING, K. A., and MORRICE, I., sebaceous lymphadenoma of the parotid gland: a report of a case . 259
FORD, E. J. H., and GOPINATH, C., modification of the hepatotoxic effect of chloroform and halothane in calves . 333
FOX, H., CUMMINS, PATRICIA A., and LANGLEY, F. A., an ultrastructural study of the nature and origin of the Brenner tumour of the ovary . . 167

GOPINATH, C., and FORD, E. J. H., modification of the hepatotoxic effect of chloroform and halothane in calves . 333
GRAY, ELIZABETH, CARTER, JULIE, EWEN, S. W. B., and BECK, J. S., the thymus in systemic sclerosis . . . 97

HALL, W. C., KOVATCH, R. M., and SHRICKER, R. L., tularaemic pneumonia: pathogenesis of the aerosol-induced disease in monkeys . . 193
HALLEY, W., and DUNNILL, M. S., some observations on the quantitative anatomy of the kidney . . . 113
HARRIS, M., SUMMERELL, JOAN M., and SWAN, A. V., the prevalence of focal thyroiditis in Jamaican adults . . 309
HARRIS, P., HEATH, D., SMITH, P., and WINSON, M., the atherosclerotic human carotid sinus . . . 49
HASLETON, P. S., right ventricular hypertrophy in emphysema . . . 27
HEARD, B. E., and HOSSAIN, SURAIYA, hyperplasia of bronchial muscle in asthma 319
HEATH, D., SMITH, P., HARRIS, P., and WINSON, M., the atherosclerotic human carotid sinus . . . 49
HEATON, JULIET M., a study of brown adipose tissue in hypothermia . . 105

PAGE

HEJNAL, J., ROSSMANN, P., JIRKA, J., and MÁLEK, P., histology and fine structure of necrotic renal allografts in man . 177

HORVATH, E., KOVACS, K., and ROSS, R. C., subcellular features of alcoholic liver lesion: alcoholic hyalin . . . 245

HOSSAIN, SURAIYA, and HEARD, B. E., hyperplasia of bronchial muscle in asthma 319

JIRKA, J., ROSSMANN, P., MÁLEK, P., and HEJNAL, J., histology and fine structure of necrotic renal allografts in man . 177

JONES, E. L., CODLING, B. W., and OATES, G. D., necrotic intraduct breast carcinomas simulating inflammatory lesions 101

KAZZAZ, B. A., effect of 5-hydroxytryptophan on the differentiation of argyrophil to argentaffin cells in the intestine of the guinea-pig after pretreatment with iproniazid and reserpine 75

KOVACS, K., HORVATH, E., and ROSS, R. C., subcellular features of alcoholic liver lesion: alcoholic hyalin . . . 245

KOVATCH, R. M., HALL, W. C., and SCHRICKER, R. L., tularaemic pneumonia: pathogenesis of the aerosol-induced disease in monkeys . . 193

LANGLEY, F. A., CUMMINS, PATRICIA A., and FOX, H., an ultrastructural study of the nature and origin of the Brenner tumour of the ovary . . . 167

LENDON, R. G., and EMERY, J. L., the local cord lesion in neurospinal dysraphism (meningomyelocele) . . 83

LEVIJ, I. S., and ROSENMANN, E., bone-marrow embolus in systemic veins: a paradoxical finding at necropsy . 271

LITTLE, KITTY, observations on the nature and production of proteins in the intercellular matrices of connective tissues 1

LOEWI, G., and DAWKINS, R. L., cytotoxic effect of antisera on ^{51}Cr-labelled monolayers of skeletal muscle . . 67

MÁLEK, P., ROSSMANN, P., JIRKA, J., and HEJNAL, J., histology and fine structure of necrotic renal allografts in man . 177

MIDDLETON, VALERIE L., PEGRUM, G. D., BALFOUR, I. C., and EVANS, CAROL A., mixed cell cultures of normal and leukaemic cells 59

MORGAN, K. T., an ultrastructural study of ovine polio-encephalomalacia . . 123

PAGE

MORRICE, I., and FLEMING, K. A., sebaceous lymphadenoma of the parotid gland: a report of a case . 259

NAGY, L., WEIPERS, W. L., PIRIE, H. M., SANFORD, J., and PILLINGER, R., a comparison of the toxic effects of intestinal obstruction fluid with those of certain endotoxins . . . 295

OATES, G. D., JONES, E. L., and CODLING, B. W., necrotic intraduct breast carcinomas simulating inflammatory lesions 101

OHARA, P. T., electron-microscope findings on the muscle from an atypical case of infantile hypotonia 263

PAPADIMITRIOU, J. M., detection of macrophage receptors for heterologous IgG by scanning and transmission electron microscopy 213

PEGRUM, G. D., BALFOUR, I. C., EVANS, CAROL A., and MIDDLETON, VALERIE L., mixed cell cultures of normal and leukaemic cells 59

PILLINGER, R., WEIPERS, W. L., NAGY, L., PIRIE, H. M., and SANFORD, J., a comparison of the toxic effects of intestinal obstruction fluid with those of certain endotoxins 295

PIRIE, H. M., WEIPERS, W. L., NAGY, L., SANFORD, J., and PILLINGER, R., a comparison of the toxic effects of intestinal obstruction fluid with those of certain endotoxins 295

PRATHAP, K., spontaneous aortic lesions in wild adult Malaysian long-tailed monkeys (*Macaca irus*) . . . 135

PRATHAP, K., the morphology of two-year-old healed platelet-rich thrombi in femoral arteries of normocholesterolaemic monkeys: light- and electron-microscope observations . . . 145

PRATHAP, K., the natural history of platelet-rich mural thrombi in systemic arteries of hypercholesterolaemic monkeys: light- and electron-microscope observations 203

REID, I. M., hepatic nuclear glycogenosis in the cow: a light- and electron-microscope study 267

REID, LYNNE, ANDERSON, E. G., and SIMON, G., primary and thromboembolic pulmonary hypertension: a quantitative pathological study . 273

PAGE

ROSENMANN, E., and LEVIJ, I. S., bone-marrow embolus in systemic veins: a paradoxical finding at necropsy . 271
ROSS, R. C., HORVATH, E., and KOVACS, K., subcellular features of alcoholic liver lesion: alcoholic hyalin . . 245
ROSSMANN, P., JIRKA, J., MÁLEK, P., and HEJNAL, J., histology and fine structure of necrotic renal allografts in man 177

SANFORD, J., WEIPERS, W. L., NAGY, L., PIRIE, H. M., and PILLINGER, R., a comparison of the toxic effects of intestinal obstruction fluid with those of certain endotoxins . . . 295
SCHRICKER, R. L., HALL, W. C., and KOVATCH, R. M., tularaemic pneumonia: pathogenesis of the aerosol-induced disease in monkeys . . 193
SEVITT, S., the mechanisms of canalisation in deep vein thrombosis . . . 153
SIMON, G., ANDERSON, E. G., and REID, LYNNE, primary and thrombo-embolic pulmonary hypertension: a quantitative pathological study . . . 273
SMITH, P., HEATH, D., HARRIS, P., and WINSON, M., the atherosclerotic human carotid sinus . . . 49
SUMMERELL, JOAN M., HARRIS, M., and SWAN, A. V., the prevalence of focal thyroiditis in Jamaican adults . . 309

PAGE

SWAN, A. V., HARRIS, M., and SUMMERELL, JOAN M., the prevalence of focal thyroiditis in Jamaican adults . . 309

TABACHNICK, J., and CHANG, LAN F., a sequential study of phosphatase activity in beta-irradiated guinea-pig skin and its correlation with the histological changes 251
TAYLOR, C. R., an immunofluorescence study of the identity of cells reacting with anti-lymphocytic sera . . 221
TURNER, D. R., and WRIGHT, D. J. M., lymphadenopathy in early syphilis . 305

WAGENVOORT, C. A., and VAN DIJK, C., the various types of congenital adenomatoid malformation of the lung . 131
WALKER, F., the origin, turnover and removal of glomerular basement-membrane 233
WEIPERS, W. L., NAGY, L., PIRIE, H. M., SANFORD, J., and PILLINGER, R., a comparison of the toxic effects of intestinal obstruction fluid with those of certain endotoxins . . . 295
WINSON, M., HEATH, D., SMITH, P., and HARRIS, P., the atherosclerotic human carotid sinus 49
WRIGHT, D. J. M., and TURNER, D. R., lymphadenopathy in early syphilis . 305